

o/c

Aragen/NRM/EHS/ENV/PCB/2026-27/07

June 18, 2026



The Member Secretary,
T.S. Pollution Control Board,
Paryavaran Bhavan, A-III,
Industrial Estate, Sanathnagar,
Hyderabad.

Dear Sir,

Sub: M/s Aragen Life Sciences Limited-Biology Division, Plot #28A, Road #15, IDA Nacharam, Medchal-Malkajgiri District, Telangana State, 500076 - Submission of Bio Medical Waste Annual report in Form IV – Reg,

Ref: Consent Order No. 52/RO-I/RRD/BMWM/AUTH/2022-801 dt 02-11-2022

With reference to the above cited subject, please find enclosed Biomedical Waste Annual Report in Form-IV for the period of January 1, 2025 to December 31, 2025.

Kindly acknowledge the receipt of the same.

Thanking You,
Yours truly,

Chandra Shaker Surreddi
GM - EHSS



Encl: As above

CC: The Environmental Engineer, RO-I, Begumpet, Hyderabad

Registered & Corporate Office

Aragen Life Sciences Limited

28 A, IDA Nacharam, Hyderabad 500 076, India

T: +91 40 6692 9999 F: +91 40 6692 9900

W: aragen.com CIN: U74999TG2000PLC035826

**From –IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. Chandra Shaker Surreddi
	(ii) Name of HCF or CBMWTF	:	Aragen Life Sciences Limited, Biology Division
	(iii) Address for Correspondence	:	Plot#28A, Road#15, IDA, Nacharam, Uppal Mandal, Medchal-Malkajgiri Dist., 500076
	(i) Address of Facility		Sy. No. 179 & 181, Edulapally (V), Nandigam Shad Nagar .Ranga Reddy
	(ii) Tel. No. Fax. No.	:	08790782022 / +9140 66281250
	(V) E-mail ID	:	chandra.surreddi@aragen.com
	(i) URL of Website	:	www.aragen.com
	(ii) GPS coordinates of HCF or CBMWTF		CBMWTF
	(iii) Ownership of HCF of CBMWTF		Public
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Consent Order No. 52/RO-I/RRD/BMWM/AUTH/2022-801 dt 02-11-2022
	(v) Status of Consents under Water Act and Air Act.	:	Consent Order No. 1583-RR-I/TSPCB/ZOH/TS-iPASS/CFO/2024-822 dt 20-03-2024 Valid up to: 31-03-2028
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: NA
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Research Institute
	(iii) License number and its date of expiry.	:	-
3.	Details if CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No. of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF	:	NA

	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	NA																																																
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 1563 kg /annum Red Category: 610 kg /annum White: 119 kg/annum Blue Category: 368 kg/annum General Solid waste: NA																																																
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : -- Capacity:0.3 cu. meter Provision of on-site storage : The Biomedical waste is stored in color coded bins in air conditioned rooms for not more than 48 hours																																																
	(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed In Kg per Annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Paralysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td>---</td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td>----</td></tr> <tr><td>Deep Burial pits:</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td>----</td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer			---	Sharps encapsulation or concrete pit			----	Deep Burial pits:				Chemical disinfection:			----	Any other treatment equipment:			
Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum																																																
Incinerators																																																			
Plasma Paralysis																																																			
Autoclaves																																																			
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer			---																																																
Sharps encapsulation or concrete pit			----																																																
Deep Burial pits:																																																			
Chemical disinfection:			----																																																
Any other treatment equipment:																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	NA																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	01																																																
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Generated Where disposal Incineration AshNA ETP Sludge																																																
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	G J Multiclave (India) Pvt. Ltd. Sy. No. 179 & 181, Edulapally (V), Nandigam Shad Nagar, Ranga Reddy, Telangana																																																

	(vii) List of member HCF not handed over bio-medical waste.	:	NA
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	YES
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		2
	(ii) Number of personnel trained		45
	(iii) Number of personnel trained at the time of induction		4
	(iv) Number of personnel not undergone any training so far.		0
	(v) Whether standard manual for training is available ?		Yes
	(vi) Any other information)		Nil
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		NA
	(ii) Number of the persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		NA
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12.	Any other relevant information		Nil

Certified that the above report is for the period from **January'2025 to December'2025**


 Chandra Shaker Surreddi
 Name and Signature of the Head of the Institution

Date:18-06-2026
Place: Nacharam

COPY NO	Annexure- 03				
	ARAGEN LIFE SCIENCES LIMITED			DEPARTMENT	
TITLE	TRAINING REGISTER			EHS	
Format No	NRM/EHS/005/AN-03/05	Version Number: 05	Effective Date: 29/05/2023	PAGE NO	1 of 1

Topic: Bio Medical waste Management	Date: 28/07/2025
	Time
	From: 14:30 To: 16:00
Objective of the Training: to bring awareness among employees on BMDW Rules 2016 and BMDW management practices.	
Methodology: CET	

PARTICIPANTS

Sl.no	Name of the Employee	E.Code	Department	Designation	Signature
1	B.S SRINIVAS	15744	PCEP	Dy Manager	AS
2	Raj. Gotee	17658	DMPK	S. RA	RG
3	Doddabasaappa . P	23643	PCEP	RA	DD
4	Mohammad. Salman Khan	19414	Dmpk	Ex. Executive	MS
5	Vinod Pathulothu	22956	DMPK	RA	VP
6	Rajkumar Jati	15217	DMPK	MI	RJ
7	Rakhi	19699	DMPK	SRA	RK
8	Narek	21846	Dmpk	Sr. Sci. Manager	N
09	Swarup Jadhav	23248	DMPK	SRA	SJ
10	Sandeep Kumar Janc	00135	DMPK	Technician	SK
11	Cemla. V	0071	PCEP	Lab boy	CV
12	Veau. M.	00058	PCEP	Lab boy	VM
13	T. Srinivas	22395	PCEP	Associate Scientist	T. Srinivas
14	Sagey	00055	PCEP	Technician	S
15	Keeethana	23600	PCEP	RA	K
16	Sannata Sai Padraik	24399	PCEP	RA	SP
17	Rajkumar. Tonabhyal	25050	PCEP	RA	R
18	Amit Awasthi	13161	PCEP	AD	A
19	Sandeep Kumar Pandey	22872	PCEP	Sc. Manager	SK
20	Nagendra.			Buy	N

Trainer Details			
Name	Vinay Daggupati	Signature	

Time

PARTICIPANTS

Shirley

COPY NO	Annexure- 03 ARAGEN LIFE SCIENCES LIMITED				
				DEPARTMENT	
TITLE	TRAINING REGISTER			EHS	
Format No	NRM/EHS/005/AN-03/05	Version Number: 05	Effective Date: 29/05/2023	PAGE NO	1 of 1

Topic: Bio medical waste	Date: 04/02/2023
	Time
	From: 11:00 To: 12:15
Objective of the Training: To bring awareness among employees on safe handling of Biomedical waste.	
Methodology: class room presentation	

PARTICIPANTS

Sl.no	Name of the Employee	E.Code	Department	Designation	Signature
1.	T. Srinivas	22395	Biology	Associate scientist	T. Srinivas 04/02/23
2.	B. Srinivas	15744	Biology	Dy Manager	B. Srinivas 04/02/23
3.	Babasaheb Sednas	21770	Biology	Sr. R. Associate	Babasaheb Sednas 04/02/23
4.	Vikram EAT	23848	Biology	Sr. R. Associate	Vikram EAT 04/02/23
5.	Rajkumar J	15217	Biology	MI	Rajkumar J 04/02/23
6.	Harikant	21846	Biology	Sr. Scientist	Harikant 04/02/23
7.	Sandeep Kumar Pandey	22872	Biology	Associate Scientist	Sandeep Kumar Pandey 04/02/23
8.	Satish Kumar	15369	Biology	Associate Director	Satish Kumar 04/02/23
9.	D. Kumar	15715	PCET	Director	D. Kumar 04/02/23
10.	Amit Awasthi	13161	PCET	AD	Amit Awasthi 04/02/23
11.	Keethana	23600	Biology	Research Associate	Keethana 04/02/23
12.	Srinija	23601	Biology	Research Associate	Srinija 04/02/23
13.	Lorekshami	17704	Biology	Associate Scientist	Lorekshami 04/02/23
14.	Samata Sai Pattnaik	24399	Biology	Research Associate	Samata Sai Pattnaik 04/02/23

Trainer Details			
Name	K. Phani Kumar	Signature	K. Phani

ARAGEN LIFE SCIENCES PRIVATE LIMITED		 aragen
TITLE	BIOMEDICAL WASTE COMMITTEE MEETING MINUTES	

Committee Members: Dr Kumaran.dandapani, Mr. Srinivas.bandji, Mr. Srinivas.thota, Mr. Babasaheb.sodnar, Mr. Vikram.erram, Dr Sandeepkumar.pandey, Ms. Lokeshwari.alleti, Mr. Srinija.konda, Dr Amit.awasthi, Mr Doddabasayya.sangayya, Mr. Salman.khan, Mr. Srinivasa.panathula, Mr. M.mohan, Ms. P.Priyanka, Mr. M.Purna Chandra, Mr. Shivaji. Mr. Raju Talari, Mr. Phanikumar K

BMW Minutes of Meeting

Date: 20-02-2025:

S.NO	Discussion points	Action to be taken	Responsible department	Target date	Status
01	Bio hazard waste transport trolley wheels got damaged.	Trolley wheels to be replaced with new wheels.	Admin	25-03-2025	closed
02	Bio medical waste segregation and handling charts were faded in few labs	Faded Bio hazard labels and handling charts shall be displayed at all handling places	EHS	30-03-2025	closed

K phani Kumar

Signature of Committee Secretary

	ARAGEN LIFE SCIENCES LIMITED	
TITLE	BIOMEDICAL WASTE COMMITTEE MEETING	

Meeting Date: 26/12/2025

Members attended:

Chairman: Dr. Kumaran Dandapani
Secretary: Mr. Phani Kumar Kantheti

1. Mr. Sudharshan N.
2. Dr. G Sirisha
3. Dr. Vikram ENT
4. Ms. Sandeep Kumar Pandey
5. Ms. Rakhi Mishra
6. Mr. Vinod Pothulothu
7. Mr. Swarup Jadhav
8. Mr. Raju G
9. Mr. Mohammad Salman Khan
10. Mr. B S Srinivas
11. Mr. G Harini
12. Mr. Babasaheb Sadnar
13. Mr. Ravi Kumar T
14. Mr. Samata Sai Patnaik
15. Mr. Doddabasayya Polipatil
16. Mr. Kumaran
17. Mr. Amit A
18. Mr. Raj Kumar J
19. Mr. Purnachander
20. Mr. V Lenin
21. Mr. Anand

Other Invitees

1. Mr. Phani Kumar Kantheti
2. Mr. Sudharshan N
3. Mr. Vinay Daggupati

	ARAGEN LIFE SCIENCES LIMITED	 aragen
TITLE	BIOMEDICAL WASTE COMMITTEE MEETING	

Points discussed on present committee meeting

S. No	Description of the observation	Corrective action	Responsibility	Target date	Status	Remarks
1	The quality of the hand gloves supplied was found to be very low	Low-quality gloves and informing the supplier to replace them with gloves that meet the required quality standards, material inspection process has been implemented to prevent recurrence.	SCM	15-01-2026	<i>closed.</i>	NA

Hai

Signature of Safety Committee Secretary